
Hake MSE - planned steps and scenarios for climate

JMC/MSEWG meeting
May 2019

Kristin Marshall - NOAA NWFSC MSE Coordinator
With contributions from Aaron Berger, Nis Jacobsen, Ian
Taylor

Alternative
hypotheses for
movement
(operating
models)



Develop model structure and climate scenarios

Planned steps include:

- Incorporate the findings of Mike Malick's work under the Fisheries And The Environment (FATE) project
- Modeling trends and/or regime-like patterns of variability in movement





Figure from Mike Malick's talk to 2019 SRG

Current model structure for movement


$$\omega_a = \frac{\kappa_i}{1 + e^{-\gamma a - a_{50}}}$$



Potential time-varying movement


- Time-varying movement in seasons 2 and 3
- Vary maximum movement rate in "warm" and "cool" years


$$\omega_a = \frac{\kappa_{it}}{1 + e^{-\gamma a - a_{50}}}$$
$$\kappa_{it} = f(T)$$




FATE project

Environmental drivers of Hake distribution







Seasonal forecasting of spatial distribution

Figures from Mike Malick's talk to 2019 SRG

Potential hypothesis about the effect of the future **environment** on movement:

- Status quo: no change in future environment
- Trend (continuous increase or decrease) in movement rate with warming conditions
- Movement may exhibit regime-like patterns or follow an ENSO-like signal
- Variability in movement could increase in an unpredictable way

*Goal of this is to characterize how robust hake management is to uncertainty in future environmental conditions and how they may affect fish distribution, not make forecasts

Other model structures/scenarios that could guide future MSE work

- Recruitment scenarios
 - What are the effects of large and small recruitment events?
 - What are the environmental drivers of recruitment and how will future environmental conditions affect recruitment?
- Growth scenarios
 - ▶ How could growth change through time with environmental conditions?